

Bug Fix Appendix

MediationZone®9.0 SP1 ER1

1 Fixed Bugs

1.1 Overview

This section gives an overview of the fixed bugs and the subsequent sections describe each bug in more detail.

| Version | Case ID | Internal ID | Component | Summary |
|---------|-------------|-------------|--------------------------|---|
| 9.0.0.0 | | XE-8444 | Vaadin Web Desktop | Unable to Terminate Sessions in Web UI After a Period of Inactivity |
| 9.0.0.0 | | XE-8443 | Core System Log | Pico Management Not Updating System Log |
| 9.0.0.0 | 34957 | XE-8181 | Data Veracity | Nullpointer Exception Introduced by a Previous Fix |
| 9.0.0.0 | 35090 | XE-7962 | OpenAPI Profile | JsonEncodeUdr APL Function Does Not Retain Original Field Name |
| 9.0.0.0 | | XE-7923 | Documentation | Missing Documentation for System Tasks |
| 9.0.0.0 | | XE-7783 | SAP CC | Wrong Password May Allow SAP CC Workflow to Start |
| 9.0.0.0 | | XE-7763 | Netty | Vulnerability in Netty |
| 9.0.0.0 | | XE-7750 | Web Services | Vulnerability in Apache CXF |
| 9.0.0.0 | | XE-7712 | MZSH | Incorrect Handling of Some MZSH Command Failures |
| 9.0.0.0 | | XE-7677 | Apache Commons CVE | Vulnerability in Commons-Net |
| 9.0.0.0 | 35051,35291 | XE-7663 | OpenAPI Profile | OpenAPI Throws Error When Decoding Array Schema |
| 9.0.0.0 | | XE-7658 | HTTP/2 | Netty Version Upgraded |
| 9.0.0.0 | | XE-7657 | Ultra | bit_block Constructs Not Supported in Switch Statement Prefix |
| 9.0.0.0 | | XE-7646 | Azure 3pp | Vulnerability in Azure Libraries |
| 9.0.0.0 | | XE-7623 | CVE Postgres | Vulnerability in Postgres driver |
| 9.0.0.0 | 34957 | XE-7618 | Documentation | Unsupported Data Type for Data Veracity Only Mentioned in the Data Veracity Search Page |
| 9.0.0.0 | | XE-7529 | SFTP | Sort Order Criteria not Always Applied to SFTP Collection Agent |
| 9.0.0.0 | | XE-7521 | CVE OSGI | Outdated bndlib Version |
| 9.0.0.0 | 34424 | XE-7353 | Aggregation Couchbase | Properties for Couchbase Incorrectly Displayed in Aggregation Agent for Batch Workflows |



| Version | Case ID | Internal ID | Component | Summary |
|---------|------------------|-------------|---------------------------|---|
| 9.0.0.0 | 30923 | XE-7347 | Workflow Engine | Failing to Stop Workflow May Cause the Workflow to Hang in Stopping State |
| 9.0.0.0 | | XE-7315 | Web Desktop | Vulnerability in WebSwing |
| 9.0.0.0 | | XE-7228 | CVE Jackson | Vulnerability in Jackson libraries |
| 9.0.0.0 | | XE-7100 | CVE Salesforce | Vulnerability in CometD |
| 9.0.0.0 | 32937, 488087 | XE-6676 | Core Ultra | udrDecode Leaking Memory Due to ThreadLocal Implementation |
| 9.0.0.0 | | XE-5976 | Documentation | Missing Explanation on APL and Java Numeric Value Handling |
| 9.0.0.0 | | XE-5162 | System Export/Import | Unable to import the Statistics Cleaner Workflow Group |
| 9.0.1.0 | 40753 | XE-9652 | Documentation SAP RFC | Error in SAP RFC Agent Documentation |
| 9.0.1.0 | 40750 | XE-9646 | Documentation | SAP CC Online Agent Documentation Incorrectly Placed and Missing Library |
| 9.0.1.0 | | XE-9640 | System Export/Import | Exception Thrown When Selected Config Has Circular Dependencies in Vaadin System Exporter |
| 9.0.1.0 | 40731 | XE-9634 | Installation | Incorrect value populate in cell.conf from what had been set in install.xml file |
| 9.0.1.0 | 40176 | XE-9596 | Pico Upgrade | Erroneous Start for EC After Upgrade from MZ8 to MZ9 |
| 9.0.1.0 | | XE-9575 | Data Veracity Vaadin | Data Veracity Web UI Filters Failed to Delete and No Helpful Error Message |
| 9.0.1.0 | 40176 | XE-9557 | Documentation | Upgrade Instructions Not Fully Documented |
| 9.0.1.0 | 40176 40492 | XE-9540 | Upgrade | Failed to upgrade to MZ9 when mz.security.user.password.reset.enabled is set |
| 9.0.1.0 | 40495 | XE-9530 | Documentation SAP Hana | Support for Multi-Version Released 3pp Libraries |
| 9.0.1.0 | 40415 | XE-9521 | REST Agents | Cannot Save Workflow When REST Client Enables External References |
| 9.0.1.0 | | XE-9447 | 5G Profile | 5G Profile NRF Behaviour Inconsistent with 3GPP Documentation |
| 9.0.1.0 | | XE-9433 | Conditional Trace | Disabled UI Buttons in Conditional Trace |
| 9.0.1.0 | | XE-9432 | Conditional Trace | Conditional Trace UI Parameters Not Displayed |



| Version | Case ID | Internal ID | Component | Summary |
|---------|---------|-------------|-------------------------------|---|
| 9.0.1.0 | | XE-9431 | Core | Deserialization of UDRs May Result in a ClassCastException |
| 9.0.1.0 | 40176 | XE-9419 | Access control Upgrade | Upgrade Failed Due To Platform Failing to Move auth.properties File Into mzdb |
| 9.0.1.0 | 40176 | XE-9417 | Documentation Installation | Missing Information About Desktop In Post Upgrade Instructions |
| 9.0.1.0 | | XE-9400 | Desktop Launcher | Legacy Desktop Launcher Issue with OpenJDK 17 |
| 9.0.1.0 | 40176 | XE-9385 | Upgrade | Upgrade MZ8 to MZ9 fails when system insight is enabled |
| 9.0.1.0 | | XE-9368 | SAP RFC | Deadlock in SAP JCO RFC Agent When Stopping the Workflow |
| 9.0.1.0 | | XE-9332 | Documentation Upgrade | Updating Upgrades Document on Database Properties Settings |
| 9.0.1.0 | | XE-9328 | MZSH | MZSH Commands Accessible Without Login |
| 9.0.1.0 | | XE-9325 | Diameter | Excessive logging from Diameter |
| 9.0.1.0 | | XE-9279 | OpenAPI Profile | HTTP2 Server Agent Unable to Set UDRs with Read-Only Fields |
| 9.0.1.0 | | XE-9259 | System Export/Import | Vaadin System Exporter Memory Leak Issue |
| 9.0.1.0 | | XE-9250 | Core | Encoder Cannot Handle Large Amounts of Data |
| 9.0.1.0 | | XE-9186 | JMS | JMS Collector Agent Optional Field Issue |
| 9.0.1.0 | | XE-9116 | SQL agents | SQL Forwarder Configuration Import Issues |
| 9.0.1.0 | | XE-8979 | 5G Profile | Open API Profile Config Import Issues |
| 9.0.1.0 | | XE-8794 | DynamicWorkflow | Exception Thrown When Editing Workflows |
| 9.0.1.0 | 40160 | XE-8495 | Database Agents | Upgrade Oracle Deprecated Methods |
| 9.0.1.0 | | XE-8276 | Data Veracity Vaadin | Unsupported Data Types are Selectable in Data Veracity UDR Browser |
| 9.0.1.0 | | XE-8269 | Data Veracity Vaadin | Unable to Use Save or Save As on Data Veracity Search UI |
| 9.0.1.0 | | XE-8211 | 5G Profile | Incompatible 5G Profile and Workflow Instance Table Exported from MZ8 |
| 9.0.1.0 | 33327 | XE-6862 | Core | Issue With Long Workflow Package Names |
| 9.0.1.0 | 40036 | XE-8829 | Documentation | Documentation Update on Keystore Creation |
| 9.0.1.0 | 40731 | XE-9633 | Installation | Broken Link to Legacy Desktop Documentation |
| 9.0.1.0 | | XE-9296 | Documentation | Web Desktop Installation Documentation Incomplete |



| Version | Case ID | Internal ID | Component | Summary |
|---------|---------|-------------|---------------------------|---|
| 9.0.1.1 | | XE-10204 | Installation | Failed to install Execution Container when platform not using default STR port 9000 |
| 9.0.1.1 | 41368 | XE-10180 | Installation | Failed to upgrade Execution Container from MZ8 to MZ9 |
| 9.0.1.1 | 41189 | XE-10175 | Installation | Installation failed with invalid column index when using Oracle as system database |
| 9.0.1.1 | 40741 | XE-10149 | Oracle Upgrade | Failed to upgrade when using custom tablespace name in MZ Oracle database |
| 9.0.1.1 | | XE-10134 | Documentation SAP Hana | SAP HANA JDBC Url missing The APPLICATION Parameter For Platform Database |
| 9.0.1.1 | | XE-10112 | Core | CVE-2023-28709 detected for tomcat |

1.2 Unable to Terminate Sessions in Web UI After a Period of Inactivity

| Case ID | Internal ID | Component |
|---------|-------------|-----------------------|
| | XE-8444 | Vaadin Web Desktop |

Description:

When the "Reauthenticate Users After Inactivity" field in mzdesktop is set, sessions in Web UI are not terminated after a period of inactivity.

Resolution:

Sessions are revoked after set period of time in "Reauthenticate Users After Inactivity" field in access control.

1.3 Pico Management Not Updating System Log

| Case ID | Internal ID | Component |
|---------|-------------|--------------------|
| | XE-8443 | Core System Log |

Description:

If Pico config is updated form Web Pico Management UI then system log is not updated.

Resolution:

System log is added with proper details for updates.



1.4 Nullpointer Exception Introduced by a Previous Fix

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| 34957 | XE-8181 | Data Veracity |

Description:

Due to a previous bug fix, an exception is caused due to accessing an uninitialized list.

Resolution:

This problem has now be sovled and a check for an empty null value of the list has been added.

1.5 JsonEncodeUdr APL Function Does Not Retain Original Field Name

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| 35090 | XE-7962 | OpenAPI Profile |

Description:

When encoding UDRs with the JsonEncodeUdr APL function, the UDRs containing field names starting with numbers or symbols are modified to satisfy Java class naming rules.

Resolution:

Fix the encoding function to retain the original field name.

1.6 Missing Documentation for System Tasks

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| | XE-7923 | Documentation |

Description:

Documentation for many System Tasks is missing.

Resolution:

The documentation has now been updated to describe System Tasks.

1.7 Wrong Password May Allow SAP CC Workflow to Start

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7783 | SAP CC |

Description:

When user insert a wrong SAP CC login password, workflow can be start without abort, no authentication failed message at debug mode.

Resolution:

When authentication failed it will immediatly showing error and abort the workflow.



1.8 Vulnerability in Netty

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7763 | Netty |

Description:

A CVE regarding Netty, CVE-2022-41881, was detected.

Resolution:

Netty has now been upgraded and this vulnerability is removed.

1.9 Vulnerability in Apache CXF

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| | XE-7750 | Web Services |

Description:

Apache CXF contains vulnerabilities (CVE-2022-46364 and CVE-2022-46363).

Resolution:

Apache CXF have been upgraded to a non-vulnerable version.

1.10 Incorrect Handling of Some MZSH Command Failures

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7712 | MZSH |

Description:

Some mزش commands failures are not reported by the mزش command line tool. Instead mزش just silently fails, giving no feedback or error message.

Resolution:

This problem has now been fixed and for any exceptions, an explicit message will be displayed.

1.11 Vulnerability in Commons-Net

| Case ID | Internal ID | Component |
|---------|-------------|-----------------------|
| | XE-7677 | Apache Commons CVE |

Description:

Commons-Net contain a vulnerability (CVE-2021-37533).

Resolution:

Commons-net have been upgraded to a non-vulnerable version.



1.12 OpenAPI Throws Error When Decoding Array Schema

| Case ID | Internal ID | Component |
|-------------|-------------|-----------------|
| 35051,35291 | XE-7663 | OpenAPI Profile |

Description:

When using the Http agents with Open API Profile, the agent does not handle requests that contains array schema properly and throws null pointer exception.

Resolution:

Fix the agent code to allow handling of array schema. Array schemas will be added to the open api class but will be skipped during decoding.

1.13 Netty Version Upgraded

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7658 | HTTP/2 |

Description:

A security vulnerability has been found in Netty versions 3.10.6.Final and 4.1.15.Final.

Resolution:

Netty version is now upgraded to 4.1.73.Final to mitigate the reported vulnerability.

1.14 bit_block Constructs Not Supported in Switch Statement Prefix

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7657 | Ultra |

Description:

Ultra doesn't support declaring bit_blocks in the prefix of a switched_set.

Resolution:

Ultra has been updated to support bit_blocks in the prefix of a switched_set. The fields inside the bit_block can be used as any other field in the prefix.

1.15 Vulnerability in Azure Libraries

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7646 | Azure 3pp |

Description:

The Azure Libraries package contain a vulnerability ([CVE-2022-31684](#)).

Resolution:

The Azure Libraries package have been upgraded to a non-vulnerable version.



1.16 Vulnerability in Postgres driver

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| | XE-7623 | CVE Postgres |

Description:

The Postgres driver contain a vulnerability (CVE-2022-41946).

Resolution:

The Postgres driver has been upgraded to a non-vulnerable version.

1.17 Unsupported Data Type for Data Veracity Only Mentioned in the Data Veracity Search Page

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| 34957 | XE-7618 | Documentation |

Description:

We do not support List and Map types for Data Veracity filter, repair and data masking. The documentation only mentions this fact in the Data Veracity search page.

Resolution:

The note for unsupported data types for Data Veracity has now been added into the other parts of the documentation for Data Veracity. Namely in the filter, repair and data masking pages.

1.18 Sort Order Criteria not Always Applied to SFTP Collection Agent

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-7529 | SFTP |

Description:

When using the SFTP Collection Agent, the configured Sort Order criteria is not applied to subfolders when the SFTP collection agent setting is as follows: The Include Subfolder option under the Source tab is selected and the Enable Sort Order option under the Sort Order tab is selected and the specified Directory contains only the specified subfolder. The SFTP collection workflow run is expected to abort when the subfolder does not meet the Sort Order criteri. Instead, the workflow runs successfully without any error.

Resolution:

This is fixed so that Sort Order criteria is applied when there is only 1 subfolder within the specified directory.



1.19 Outdated bndlib Version

| Case ID | Internal ID | Component |
|---------|-------------|-------------|
| | XE-7521 | CVE OSGI |

Description:

Newer versions of bndlib has been released that we should upgrade to.

Resolution:

bndlib has now been updated to 6.3.1.

1.20 Properties for Couchbase Incorrectly Displayed in Aggregation Agent for Batch Workflows

| Case ID | Internal ID | Component |
|---------|-------------|--------------------------|
| 34424 | XE-7353 | Aggregation Couchbase |

Description:

Despite Couchbase storage not being supported by batch workflows, Couchbase properties are still being displayed when configuring the Aggregation profile.

Resolution:

Couchbase properties will not be displayed during configuration unless it is a real-time workflow.

1.21 Failing to Stop Workflow May Cause the Workflow to Hang in Stopping State

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| 30923 | XE-7347 | Workflow Engine |

Description:

If a workflow stop fails, the workflow state may get into an unrecoverable state. It will then be running and can not be stopped unless the Execution Context is restarted.

Resolution:

A workflow stop command will now always attempt to stop the workflow, even if the stop signal has already been sent.



1.22 Vulnerability in WebSwing

| Case ID | Internal ID | Component |
|---------|-------------|-------------|
| | XE-7315 | Web Desktop |

Description:

WebSwing contains vulnerabilities (CVE-2022-42920 , CVE-2022-3171 , CVE-2022-42003 and CVE-2022-42004).

Resolution:

WebSwing has been upgraded to a non-vulnerable version.

1.23 Vulnerability in Jackson libraries

| Case ID | Internal ID | Component |
|---------|-------------|----------------|
| | XE-7228 | CVE Jackson |

Description:

The Jackson libraries contain vulnerabilities (CVE-2022-42003 and CVE-2022-42004).

Resolution:

Jackson and Jackson-databind have been upgraded to a non-vulnerable version.

1.24 Vulnerability in CometD

| Case ID | Internal ID | Component |
|---------|-------------|-------------------|
| | XE-7100 | CVE Salesforce |

Description:

The CometD Library contain a vulnerability (CVE-2022-24721).

Resolution:

The CometD library have been upgraded to a non-vulnerable version.



1.25 udrDecode Leaking Memory Due to ThreadLocal Implementation

| Case ID | Internal ID | Component |
|------------------|-------------|---------------|
| 32937, 488087 | XE-6676 | Core Ultra |

Description:

When udrDecode or udrEncode is called from the initialize block, certain references held as ThreadLocal values are not be released properly which can cause the system to run out of memory.

Resolution:

The references stored as ThreadLocal values are now cleared properly and the system will release memory when the garbage collector is called by the jvm.

1.26 Missing Explanation on APL and Java Numeric Value Handling

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| | XE-5976 | Documentation |

Description:

APL and Java handle numeric values in a different manner. Inappropriate value operation can result in an overflow.

Resolution:

The relevant documentation has been updated to reflect the differences between Java and APL.

1.27 Unable to import the Statistics Cleaner Workflow Group

| Case ID | Internal ID | Component |
|---------|-------------|----------------------|
| | XE-5162 | System Export/Import |

Description:

The SystemTask.Statistics_Cleaner_grp workflow group is not possible to import.

Resolution:

The issue is resolved and the workflow group can now be imported.



1.28 Error in SAP RFC Agent Documentation

| Case ID | Internal ID | Component |
|---------|-------------|--------------------------|
| 40753 | XE-9652 | Documentation SAP RFC |

Description:

Incorrect SAP RFC Agent Preparation Documentation

Resolution:

The correct information has been added to the Container section of the documentation with the `common.java.library.path` property.

1.29 SAP CC Online Agent Documentation Incorrectly Placed and Missing Library

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| 40750 | XE-9646 | Documentation |

Description:

The SAP CC Online Agent Preparations documentation is incorrectly placed in the documentation and the list of libraries is missing `_core_admin.jar_`.

Resolution:

This issue has now been fixed.

1.30 Exception Thrown When Selected Config Has Circular Dependencies in Vaadin System Exporter

| Case ID | Internal ID | Component |
|---------|-------------|----------------------|
| | XE-9640 | System Export/Import |

Description:

In the System Exporter UI, select a config that has circular reference by another config, `StackOverflowError` exception was thrown.

Resolution:

This issue is fixed. Circular dependencies can now be selected.



1.31 Incorrect value populate in cell.conf from what had been set in install.xml file

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| 40731 | XE-9634 | Installation |

Description:

Despite configuring `_mz.name_` in the `_install.xml_` file, the value doesn't reflect in the `_cell.conf_` file post installation.

Resolution:

This issue is fixed. `_mz.name_` value should now be populated correctly in `_cell.conf_`.

1.32 Erroneous Start for EC After Upgrade from MZ8 to MZ9

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| 40176 | XE-9596 | Pico Upgrade |

Description:

When upgrading from MZ8 to MZ9, the ECs would start with errors.

Resolution:

The issue has been fixed and the ECs start without any error.

1.33 Data Veracity Web UI Filters Failed to Delete and No Helpful Error Message

| Case ID | Internal ID | Component |
|---------|-------------|-------------------------|
| | XE-9575 | Data Veracity Vaadin |

Description:

When user has failed to delete Data Veracity filter, there was error notification, however the error message did not contain any helpful information.

Resolution:

When user fail to delete a Data Veracity filter, error notification will now contain useful information for user to troubleshoot further.



1.34 Upgrade Instructions Not Fully Documented

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| 40176 | XE-9557 | Documentation |

Description:

The upgrade instructions for the Platform Container were not complete.

Resolution:

The documentation is now updated under section [<https://infozone.atlassian.net/wiki/spaces/MD9/pages/4849779/Upgrade+Platform+Container> | <https://infozone.atlassian.net/wiki/spaces/MD9/pages/4849779/Upgrade+Platform+Container> | smart-link] .

1.35 Failed to upgrade to MZ9 when mz.security.user.password.reset.enabled is set

| Case ID | Internal ID | Component |
|-------------|-------------|-----------|
| 40176 40492 | XE-9540 | Upgrade |

Description:

If MZ8.x platform has enabled property `mz.security.user.password.reset.enabled`, during MZ9 upgrade it failed due to incorrect password state was migrated.

Resolution:

This issue is fixed. Platform should be upgraded successfully when `mz.security.user.password.reset.enabled` is set.

1.36 Support for Multi-Version Released 3pp Libraries

| Case ID | Internal ID | Component |
|---------|-------------|---------------------------|
| 40495 | XE-9530 | Documentation SAP Hana |

Description:

3pp libraries using multi-version packaged jars could not be used. This was with the SAP HANA JDBC driver, which made it impossible to use the `_Try connection_` button in the Database profile.

Resolution:

Multi-version jars, including the SAP HAN JDBC driver, can now be used.



1.37 Cannot Save Workflow When REST Client Enables External References

| Case ID | Internal ID | Component |
|---------|-------------|-------------|
| 40415 | XE-9521 | REST Agents |

Description:

When enabled external reference on REST Client, validation error was thrown even though the reference value are set correctly.

Resolution:

This issue is fixed. External reference should now work on REST Client.

1.38 5G Profile NRF Behaviour Inconsistent with 3GPP Documentation

| Case ID | Internal ID | Component |
|---------|-------------|------------|
| | XE-9447 | 5G Profile |

Description:

When using the 5G profile with http2 agents, there were some inconsistent behaviour relating to the heartbeat timer, custom specification and response handling.

Resolution:

We enhanced the 5G Profile and its response handling behaviour when used with the http2 agents to be more in line with details stated in the 3GPP documentation.

1.39 Disabled UI Buttons in Conditional Trace

| Case ID | Internal ID | Component |
|---------|-------------|-------------------|
| | XE-9433 | Conditional Trace |

Description:

Sometimes in the Conditional Trace UI, both the `_Start_` and `_Stop_` buttons may be disabled.

Resolution:

The issue has now been corrected so that the `_Start_` and `_Stop_` buttons are always enabled depending on whether a trace is running.



1.40 Conditional Trace UI Parameters Not Displayed

| Case ID | Internal ID | Component |
|---------|-------------|-------------------|
| | XE-9432 | Conditional Trace |

Description:

Conditional Trace UI may not correctly update the displayed parameters for the selected Trace Template.

Resolution:

The issue has been fixed.

1.41 Deserialization of UDRs May Result in a ClassCastException

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9431 | Core |

Description:

When stored UDRs from earlier versions of MediationZone are deserialized, you may get a ClassCast Exception.

Resolution:

This problem has now been fixed and deserialization should work as intended.

1.42 Upgrade Failed Due To Platform Failing to Move auth.properties File Into mzdb

| Case ID | Internal ID | Component |
|---------|-------------|---------------------------|
| 40176 | XE-9419 | Access control Upgrade |

Description:

During the upgrade from mz8.3 to mz9.0.0.0, `_auth.properties_` failed to update into `_mzdb_` if the table is empty.

Resolution:

Add a checking if the table is empty skip the update, and proceed to insert into `_mzdb_`.



1.43 Missing Information About Desktop In Post Upgrade Instructions

| Case ID | Internal ID | Component |
|---------|-------------|-------------------------------|
| 40176 | XE-9417 | Documentation Installation |

Description:

The information about how to install the desktop or legacy desktop once the upgrade is done was missing from the documentation.

Resolution:

The Post Upgrade section of the documentation is now updated with the relevant links.

1.44 Legacy Desktop Launcher Issue with OpenJDK 17

| Case ID | Internal ID | Component |
|---------|-------------|------------------|
| | XE-9400 | Desktop Launcher |

Description:

Legacy desktop launcher will not work with OpenJDK 17.

Resolution:

This issue is fixed. Legacy desktop launcher is now compatible with the most recent JDK version.

1.45 Upgrade MZ8 to MZ9 fails when system insight is enabled

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| 40176 | XE-9385 | Upgrade |

Description:

If system insight is enabled in the MZ 8.x installation by the property "mz.system.insight" being set, then upgrade to MZ 9.0 will fail. The system will not start up since the system insight packages are no longer available.

Resolution:

The issue has now been fixed and the property will have no effect in the MZ 9 system after upgrade.



1.46 Deadlock in SAP JCO RFC Agent When Stopping the Workflow

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9368 | SAP RFC |

Description:

Deadlock occurs in the SAP JCO RFC agent when the user stops the workflow whenever the UDR queue is full of UDRs.

Resolution:

Removed lengthy loop logic waiting for the UDR queue to become empty when the user stops the workflow.
 Removed lengthy loop logic waiting for the RFCExecutor Thread to complete when the user stops the workflow.
 Added a try-catch handler for InterruptedException to exit the RFCExecutor Thread when the user stops the workflow

1.47 Updating Upgrades Document on Database Properties Settings

| Case ID | Internal ID | Component |
|---------|-------------|--------------------------|
| | XE-9332 | Documentation Upgrade |

Description:

Missing information on database related settings in the Upgrade Preparations document.

Resolution:

The missing information is now updated in the document.

1.48 MZSH Commands Accessible Without Login

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9328 | MZSH |

Description:

In previous versions of MediationZone, some administrative commands were exposed to all users. This could potentially lead an unauthorized user to obtain information about the system.

Resolution:

The verification of access rights has been fixed and sensitive commands are exposed only to authorized users as per design. Additionally, the interactive mode has been removed from mزش.



1.49 Excessive logging from Diameter

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9325 | Diameter |

Description:

When receiving answers of timed out requests, the Diameter stack log one line for ever message. This can cause very excessive logging in some situations which can impact performance.

Resolution:

When there many log messages like this, the logging is now throttled to a reasonable level

1.50 HTTP2 Server Agent Unable to Set UDRs with Read-Only Fields

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| | XE-9279 | OpenAPI Profile |

Description:

When UDRs are generated from the Open API schema specification file, certain UDR fields used in the response body are marked as read-only. In some cases, the HTTP2 Server agent needs to initialize and set those fields to generate a proper response.

Resolution:

Added a checkbox in the Open API profile to allow users to have the option to ignore the read-only tag for the selected schema specification file.

1.51 Vaadin System Exporter Memory Leak Issue

| Case ID | Internal ID | Component |
|---------|-------------|----------------------|
| | XE-9259 | System Export/Import |

Description:

Navigating system exporter back and forth cause UI pico out of memory when the system has a lot of configurations.

Resolution:

System exporter memory leak issue has been fixed.



1.52 Encoder Cannot Handle Large Amounts of Data

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9250 | Core |

Description:

When running really large UDR through a workflow, the Encoder may not have capacity enough and throw an error.

Resolution:

The Encoder has now been redesigned to allow larger UDRs and the the problem with processing large amounts of data is fixed.

1.53 JMS Collector Agent Optional Field Issue

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-9186 | JMS |

Description:

The Subscription Client ID for the JMS Collector agent will fail the workflow validation although the field is optional as mentioned in the documentation.

Resolution:

The Subscription Client ID Field is removed from the validation list.

1.54 SQL Forwarder Configuration Import Issues

| Case ID | Internal ID | Component |
|---------|-------------|------------|
| | XE-9116 | SQL agents |

Description:

Specific fields or configuration save states are lost when importing the SQL forwarder from MediationZone 8.x to MediationZone 9.x.

Resolution:

Added logic to handle imports from MZ 8.x to MZ 9.x.

1.55 Open API Profile Config Import Issues

| Case ID | Internal ID | Component |
|---------|-------------|------------|
| | XE-8979 | 5G Profile |

Description:

Certain fields or config save state is lost when importing the Open API Profile from MZ 8.x to MZ 9.x

Resolution:

Add logic to handle imports from MZ 8.x to MZ 9.x



1.56 Exception Thrown When Editing Workflows

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| | XE-8794 | DynamicWorkflow |

Description:

When editing a workflow using Workflow Editor, an exception can be thrown.

Resolution:

The issue has been fixed.

1.57 Upgrade Oracle Deprecated Methods

| Case ID | Internal ID | Component |
|---------|-------------|-----------------|
| 40160 | XE-8495 | Database Agents |

Description:

The database forwarding agent was using two obsolete methods for Oracle's batch update functions. This causes performance issues when running toward Oracle 19c.

Resolution:

The function calls have now been updated to no longer use deprecated implementations of the JDBC driver.

1.58 Unsupported Data Types are Selectable in Data Veracity UDR Browser

| Case ID | Internal ID | Component |
|---------|-------------|-------------------------|
| | XE-8276 | Data Veracity Vaadin |

Description:

Unsupported data types like Map and List are selectable in Data Veracity Restricted Field Edit/New dialog.

Resolution:

Unsupported data types are hidden from a user in Data Veracity Restricted Field Edit/New dialog.



1.59 Unable to Use Save or Save As on Data Veracity Search UI

| Case ID | Internal ID | Component |
|---------|-------------|-------------------------|
| | XE-8269 | Data Veracity Vaadin |

Description:

The existing Data Veracity Search page has no option for Save New and Update. Users can only load a saved filter and modify the queries.

Resolution:

This has been fixed by adding two new options added to Save, namely Save New and Update, allowing the user to save as new or update existing.

1.60 Incompatible 5G Profile and Workflow Instance Table Exported from MZ8

| Case ID | Internal ID | Component |
|---------|-------------|------------|
| | XE-8211 | 5G Profile |

Description:

5G Profile and workflows exported from MediationZone 8 not compatible with Private Edition and MediationZone 9. Some fields in the 5G Profile and workflow instance table columns have gone missing when imported into PE and MZ9.

Resolution:

Some fields in the 5G Profile and some fields in the workflow instance table column exported from MZ8 are given special handling when being imported into PE and MZ9.

1.61 Issue With Long Workflow Package Names

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| 33327 | XE-6862 | Core |

Description:

Sometimes workflow packages with long names would exceed the DB column limit of 64 characters for the workflow key. This would break the workflow handling.

Resolution:

This issue has been fixed by adding a character limit check to workflow packages. Validation has been added to the export of workflow packages to prevent this from happening. A (dynamic) limit has been added to the workflow package name. This limit is dynamic and not a "hard" limit because the key itself is comprised of other dynamic parts besides the workflow package name, such as version, system name, and instance ID.



1.62 Documentation Update on Keystore Creation

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| 40036 | XE-8829 | Documentation |

Description:

The references to “mzsh keytool” are no longer valid.

Resolution:

Documentation has been updated to replace these references with valid information on creating Keystore.

1.63 Broken Link to Legacy Desktop Documentation

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| 40731 | XE-9633 | Installation |

Description:

The link to the Legacy Desktop section in the user documentation is broken.

Resolution:

The link has now been fixed and points to the right place.

1.64 Web Desktop Installation Documentation Incomplete

| Case ID | Internal ID | Component |
|---------|-------------|---------------|
| | XE-9296 | Documentation |

Description:

Web Desktop installation documentation had instances of service context and some extraneous information.

Resolution:

The documentation is now updated accordingly.

1.65 Failed to install Execution Container when platform not using default STR port 9000

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| | XE-10204 | Installation |

Description:

If 9.0 platform installed with other web interface port rather than default 9000, Execution Container failed to register due to the hardcoded port 9000 in \$MZ_HOME/bin/mzsh file.

Resolution:

This issue is fixed. Execution Container should now honour the value `mz.webserver.port` from `install.xml` while during install.



1.66 Failed to upgrade Execution Container from MZ8 to MZ9

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| 41368 | XE-10180 | Installation |

Description:

When upgrade Execution Container from MZ8 to MZ9, install.xml properties do not get auto populated from existing MZ_HOME which create issue for the user to perform upgrade. After manual setting the correct properties in install.xml, the upgrade was completed successfully. However when trying to install a new Execution Container, the container failed to register with platform due to topo config merging issue.

Resolution:

Install.xml should now populate values from existing Execution Container MZ_HOME. Also, topo config merging issue is now resolved.

1.67 Installation failed with invalid column index when using Oracle as system database

| Case ID | Internal ID | Component |
|---------|-------------|--------------|
| 41189 | XE-10175 | Installation |

Description:

Failed to install MZ9 with Oracle as system database. Platform startup with invalid column index when inserting user.

Resolution:

This issue is fixed in MZ 9.0.1.1. Installation should now completed successfully.

1.68 Failed to upgrade when using custom tablespace name in MZ Oracle database

| Case ID | Internal ID | Component |
|---------|-------------|-------------------|
| 40741 | XE-10149 | Oracle Upgrade |

Description:

Failed to upgrade when the existing MZ Oracle database is using custom tablespace name or schema name.

Resolution:

Added settings on install.xml to allow configure tablespace and also fixed issue where "install.ora.owner" not taking effect during upgrade.



1.69 SAP HANA JDBC Url missing The APPLICATION Parameter For Platform Database

| Case ID | Internal ID | Component |
|---------|-------------|---------------------------|
| | XE-10134 | Documentation SAP Hana |

Description:

If the database is SAP HANA and the license name includes SAP, the connection URL should include `sessionVariable:APPLICATION=VBR_SAP_CM_BY_DIGITALROUTE_HRA` .

Resolution:

This is now corrected.

1.70 CVE-2023-28709 detected for tomcat

| Case ID | Internal ID | Component |
|---------|-------------|-----------|
| | XE-10112 | Core |

Description:

A high severity CVE-2023-28709 was found in Apache Tomcat servlet API 9.0.71.

Resolution:

Tomcat has been updated to 9.0.76.



2 Packages

